IN THE CLAIMS

Please amend Claims 14 and 24 as shown below.

1 to 13. (Cancelled)

- 14. (Currently Amended) An isolated polynucleotide selected from the group consisting of (a)-(l): of (a)-(l):
- (a) a polynucleotide comprising the nucleotide sequence of SEQ ID NO:29;
- (b) a polynucleotide comprising the nucleotide sequence of SEQ ID NO:29 from nucleotide 629 to nucleotide 2338;
- (c) a polynucleotide comprising the nucleotide sequence of the full-length protein coding sequence of clone pp314_19 deposited under accession number ATCC 98835;
- (d) a polynucleotide encoding the full-length protein encoded by the cDNA insert of clone pp314_19 deposited under accession number ATCC 98835;
- (e) a polynucleotide comprising the nucleotide sequence of a mature protein coding sequence of clone pp314_19 deposited under accession number ATCC 98835;
- (f) a polynucleotide encoding a mature protein encoded by the cDNA insert of pp314 19 deposited under accession number ATCC 98835;
- (g) a polynucleotide encoding a protein comprising the amino acid sequence of SEQ ID NO:30;

- (h) a polynucleotide encoding a protein comprising a fragment of the amino acid sequence of SEQ ID NO:30 having biological activity, the fragment comprising eight contiguous amino aids of SEQ ID NO:30;
- (i) a polynucleotide which is an allelic variant of any one of the polynucleotides of (a)-(f);
- (j) a polynucleotide which encodes a species homologue of the protein of (g) or (h);
- (k) a polynucleotide which hybridizes under stringent conditions to any one of the polynucleotides of (a)-(h); and
- (l) a polynucleotide which hybridizes under stringent conditions to any one of the polynucleotides of (a)-(h) and has a length that is at least 25% of the length of SEQ ID NO:29.
- 15. (Previously Presented) The polynucleotide of claim 14, wherein the polynucleotide is operably linked to at least one expression control sequence.
- 16. (Previously Presented) A host cell transformed with the polynucleotide of claim 15.
- 17. (Previously Presented) The host cell of claim 16, wherein the cell is a mammalian cell.

- 18. (Previously Presented) A process for producing a protein encoded by the polynucleotide of claim 15, which comprises:
- (a) growing a culture of the host cell in a suitable culture medium, wherein the host cell has been transformed with the polynucleotide of claim 15; and
 - (b) recovering the protein from the culture.
- 19. (Previously Presented) A protein produced according to the process of claim 18.
- 20. (Previously Presented) An isolated polynucleotide encoding the protein of claim 19.
- 21. (Previously Presented) The polynucleotide of claim 20, wherein the polynucleotide comprises the cDNA insert of clone pp314_19 deposited under accession number ATCC 98835.
- 22. (Previously Presented) A protein comprising an amino acid sequence selected from the group consisting of:
 - (a) the amino acid sequence of SEQ ID NO:30;
- (b) a fragment of the amino acid sequence of SEQ ID NO:30, the fragment comprising eight contiguous amino acids of SEQ ID NO:30; and
 - (c) the amino acid sequence encoded by the cDNA insert of pp314_19

deposited under accession number ATCC 98835, the protein being substantially from other mammalian proteins.

- 23. (Previously Presented) The protein of claim 22, wherein the protein comprises the amino acid sequence of SEQ ID NO:30.
- 24. (Currently Amended) A composition comprising the protein of claim 3224 <u>claim 22</u> and a pharmaceutically acceptable carrier.